

FASHION one of the lifestyle

External and internal cultivation is real superiority







Cingol 3.0 Smart Operating System

-Self- diagram detection system.

-Shock-resistant function improves the comfort to maximum.

-Clean up chair position, one key to turn off the light, the chair will rise up to the highest position and the spittoon flushes itself automatically, avoiding blocked pipes and odors, improve work efficiency.

-Safety emergency stop , First-aid chair position.


-Interlock system, when the handpiece or scaler is working , the chair movement will lock itself.







Bluetooth Music Function Relaxing your stressful emotion



Ergonomics Upholstery



-The specific shape of the ultra-thin backrest design makes more room for the doctor and convenient to operate. The flat backrest leaves enough space for doctors & assistance. Legs can freely stretch under the backrest to avoid the soreness caused by V-shaped position during surgery.

-Wear resistant fiber leather as standard configuration, which is also soft and breathable. High elastic sponge ensures the comfort of patients.

-The backrest blockage protection system will stop automatically and rise slightly when the seat encountering resistance during the descent to avoid accidents. -The backrest and seat cushion move synchronically enables the best

movement without back rubbing during the treatment. The sidebox is connected in the middle of the frame, making the whole device more stable.

-Spit restoration: the seat and backrest will move to the right position for spitting automatically, and back to the initial position after spitting.

Metal backrest


90 degrees rotation sidebox Detachable backrest for easy replacement of cushion.



Touch sense assistant tray 2 drawers for disposables







Multi-angle movement facilities four-handed operation.

Three joints assistant tray Imported 3-way syringe

Ti-Alloy handpiece tubing connector



-3 sets and total 9 memory programs for 3 doctors. -Digital display for air pressure, stop watch & water temperature.

-Rotated 6 racks.

-Acrylic protective cover.

-Spit restoration: the seat and backrest will move to the right position for spitting automatically, and back to the initial position after spitting.

-Water temperature adjustable for all tubes: the water of handpiece, 3-way syringe & scaler tube can be heated.

Hygiene&Disinfection



Detachable sidebox cover, easy for maintainance. One key spittoon flushing, intellgent desinfection.





Hose disinfection protects dentists & patients away from cross infection. Built-in double bottles water supply system for distilled and disinfected water.

The water can pour into the bottles from the top of sidebox. Easy to operate and improve work efficiency.

Two built-in disinfecting bottles design ensures the fast flushing for all the instrument tubings after disinfection.

The automatic ASTER system which controlled by one button provides intensive disinfection for all instrument spray & suction tubing internal circuits with antiseptic liquid. Built-in sensor controlled tumbler system.

Rotary plug-in double sealed filter,

external design,easy to clean. Spittoon with one-key disinfection & detachable.

T.MASTER European 10-hole operation light.

⁶Stepless adjustment of shadowless cold light, close to natural light, and patients will not feel discomfort during long-term treatment. USA CREE Brand LED, High CRI & low light declining, long lifetime, high efficiency and







WINQ Italian hanged type lamp arm, flexible and light.



3 in 1 tray USB universial charging port .



The luxury multi-functional pedal can control the operation lamp & tumbler filling.

OPTIONS

SPECIFICATION

Input voltage: 230V \pm 10% ,50Hz Water pressure:0.2-0.4Mpa/2.0-4.0 bar Air pressure: 0.55-0.8Mpa/5.5-8.0 bar G.Weight:255Kg LED curing light Scaler Handpiece Electric motor 2000 CINGOL Built-in floor-box installation sketch map Exteranl floor-box installation sketch map 150 Binocular loupes T.Master teaching Intra oral camera with ECG Air input pipe (4/8 " Hot melt pipe 1/2 screw thread) 100 &Microscope support recording lamp Water output pipe (2"PVC pipe) Water input pipe (4/8" Hot melt pipe 1/2 screw thread) 150 50 Suction pipe(1"PVC pipe) Suction pipe(1"PVC pipe) Every tube is 100mm higher than the ground Power cable pipe(4/8 "PVC pipe) Pre-buried pipe distribution map T·Master dental WINQ dry suction WINQ oilless WINQ wet suction simulator air compressor



CINGOL

Concern about International dental Needs, our Goal is your Obliging Laugh.



Remark:

We reserve the right to improve all the products without notice in advance; The product's picture is only for your reference; the copyright is reserved and belongs to Cingol. FOSHAN CINGOL MEDICAL INSTRUMENT CO.,LTDTel:0086-757-81797099Fax:0086-757-81797055Email:cingol@cingol.comQQ: 2851731555Site: www.cingol.comAdd: Building 6-1,Nanshan Industrial Village,Jiangli North Rd,Danzao Town,Nanhai District,Foshan,China.